Medical Device Materials II

Proceedings from the Materials & Processes for Medical Devices Conference 2004 August 25–27, 2004 St. Paul, Minnesota

> Edited by Mike Helmus Dana Medlin

Sponsored by



ASM International® Materials Park, OH 44073-0002 www.asminternational.org Copyright© 2005 by ASM International® All rights reserved

No part of this book may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of the copyright owner.

First printing, May 2005

Great care is taken in the compilation and production of this Volume, but it should be made clear that NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE GIVEN IN CONNECTION WITH THIS PUBLICATION. Although this information is believed to be accurate by ASM, ASM cannot guarantee that favorable results will be obtained from the use of this publication alone. This publication is intended for use by persons having technical skill, at their sole discretion and risk. Since the conditions of product or material use are outside of ASM's control, ASM assumes no liability or obligation in connection with any use of this information. No claim of any kind, whether as to products or information in this publication, and whether or not based on negligence, shall be greater in amount than the purchase price of this product or publication in respect of which damages are claimed. THE REMEDY HEREBY PROVIDED SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF BUYER, AND IN NO EVENT SHALL EITHER PARTY BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES WHETHER OR NOT CAUSED BY OR RESULTING FROM THE NEGLIGENCE OF SUCH PARTY. As with any material, evaluation of the material under end-use conditions prior to specification is essential. Therefore, specific testing under actual conditions is recommended.

Nothing contained in this book shall be construed as a grant of any right of manufacture, sale, use, or reproduction, in connection with any method, process, apparatus, product, composition, or system, whether or not covered by letters patent, copyright, or trademark, and nothing contained in this book shall be construed as a defense against any alleged infringement of letters patent, copyright, or trademark, or as a defense against liability for such infringement.

Comments, criticisms, and suggestions are invited, and should be forwarded to ASM International.

ISBN: 0-87170-824-8 SAN: 204-7586

ASM International[®] Materials Park, OH 44073-0002 www.asminternational.org

Printed in the United States of America

Multiple copy reprints of individual articles are available from Technical Department, ASM International.

CONTENTS

Keynote

Medical Device Failures – Can We Learn from Our Mistakes? L.E. Eiselstein, B. James, Exponent Failure Analysis Associates, Menlo Park, California	3
Nitinol Fatigue	
Bending Fatigue Characteristics of Nitinol	14
High Strain Accelerated Fatigue Failure Testing of NiTi Implantable Devices	20
Cyclic Properties of Superelastic Nitinol Tubing	25
Thermal Processing of Polycrystalline NiTi Shape Memory Alloys	31
Hydrogen Effects on Nitinol Fatigue	37
Failure Analysis of NiTi Wires Used in Medical Applications	43
Laser Technologies for Manufacturing Medical Devices	
Corrosion of Laser Marks on Instruments	51
Effects of Oxygen Contamination in the Argon Shielding Gas in Laser Welding of Commercially Pure Titanium Thin Sheet Y. Zhou, X. Li, University of Waterloo, Waterloo, Ontario, Canada	57
J. Xie, St. Jude Medical Center, Sylmar, California Laser Drilling for Medical Device Manufacturing	63
T.L. VanderWert, Prima North America, Champlin, Minnesota	

Surface Engineering

R J. Narayan, B.F. Ball, Georgia Institute of Technology, Atlanta, Georgia
Metallographic Preparation of Orthopedic Medical Devices
Structural Properties of PVD Coatings on Implants and their Influence on Stimulation Perforance in Pacing Applications
H. Specht, F. Krüger, H. J. Wachter, O. Keitel, C. Leitold, M. Frericks, W. C. Heraeus GmbH & Co. KG, Hanau, Germany
Characterization and Comparison of Coated Bone Drill Bits
The Challenge of Plasma Processing - Its Diversity
Mechanical Properties of Calcium Phosphate Invert Glass-Ceramic Coated Ti-29Nb-13Ta-4.6Zr for Biomedical Applications
Modifying the Mechanical Properties of Porous Equiatomic Nickel-Titanium to Better Mimic Bone
Nitinol Properties and Manufacture
Device Specific NiTi TTT Diagram: Lessons Learned
Development and Testing of Manufacturable Thin Film TiNi for Medical Devices
Clausius-Clapeyron Equations in Different Types of Nickel Titanium Shape
Memory Alloy
An Investigation of the Effect of Drawing Temperature on Nitinol Processing
Improved Fracture Healing with use of Shape Memory Alloys

Boulder, Colorado D. Pacaccio, Inova Fairfax Hospital, Falls Church, Virginia

Numerical Modeling

Phase Transformations in Nitinol and Challenges for Numerical Modeling	127
P.E. Labossiere, University of Washington, Seattle, Washington	
Optimization of a Combined Nitinol/Polymer Device Using FEA E. Konstantino, T. Feld, AngioScore, Inc., Alameda, California S. Keidar, Tel Aviv, Israel	131
G. Gershony, John Muir Medical Center, Walnut Creek, California	
A Numerical and Experimental Investigation into the Forces Generated when	
Cutting Biomaterials	136
Process Simulation Applications in the Medical Industry	142
Nano and Microfabricated Structures	
Functionally Gradient Diamondlike Carbon Nanocomposites for Medical Applications R.J. Narayan, D. Scholvin, Georgia Institute of Technology, Atlanta, Georgia	149
Material Design for Neural Applications Using Carbon Nanofibers	155
Healthy Aims - Development of Implantable Microsystems Medical Devices	161
Mechanical and Physical Properties of Medical Devices	
Fluid Composition Influences Wear Testing of Artificial Knee Implants	169
The Development of Wear Resistant Titanium-Ceramic Composites for Orthopaedic Implant Devices	174
S. Abkowitz, S. M. Abkowitz, H. Fisher, P.J. Schwartz, Dynamet Technology, Inc., Burlington, Massachusetts	
Characterization of Biomedical Wire for Optimum Performance in Suture Needle	100
Manufacture and Use D. Bradley, S. Chaney, S. Fischer, Fort Wayne Metals Research Products Corporation, Fort Wayne, Indiana	180
The Effect of Bundle Type on Cerclage Cable Fatigue Life	185

R.W. Jones III, S. Tsai, W. Allen, A. Salehi, Smith & Nephew, Inc., Memphis, Tennessee	
P. Agarwal, Y. Oshida, Indiana University School of Dentistry, Indianapolis, Indiana M. Ito, Matsumoto Dental University, Shiojiri, Nagano, Japan Stainless Steel, Titanium and Cobalt-Base Alloy Developments	. 187
Development of Beta Titanium Alloys with Low Young's Modulus	. 193
Sandvik Bioline 1RK91 – an Advanced Material for Medical Device Manufacture	. 199
Optimization of Melt Chemistry and Properties of Drawn Filled Tube (DFT®) Composite Materials of 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy (UNS R30035) Medical Grade Wire with Silver Core L. Kay, D. Bradley, Fort Wayne Metals Research Products Corporation, Fort Wayne, Indiana	205
Powder Injection Molding of Titanium Components K.L. Simmons, E. A. Nyberg, K, S, Weil, Pacific Northwest National Laboratory, Richland, Washington M. Miller, University of Alabama, Birmingham, Alabama	. 211
Desirable Biocompatible and Physical Characteristics of Selected Stainless Steel Alloys and Specialty Wire Materials for Use in the Design and Manufacture of Implants and Medical Devices	
G. Kurisky, R. D'Ambrisi, Maryland Specialty Wire, Cockeysville, Maryland	
Precision of Fit of the Procera® One-Piece Machined Titanium Implant Framework	. 221
In-Situ Formation of Ti Alloys Via Powder Injection Molding	. 225
A Study on Low Modulus Titanium Alloys for Biomedical Applications	. 229
Imaging	
Quantitative Assessment of Radiofrequency Attenuation Associated With NiTi Stents in Magnetic Resonance Imaging E. Walsh, A. Holton, University of Alabama, Birmingham, Alabama R. Venugopalan, Codman and Shurtleff, A J&J Company, Raynham, Massachusetts	. 235
Tantalum Coated Carbon-Carbon Composite Material for Surgical Implants	. 241
Lyngby, Denmark	

H. Li, M. Lind, C. Bünger, Aarhus University Hospital, Aarhus, Denmark	
Radiopaque Marking of Devices for X-Ray Imaging	247
3D Imaging and Visualization of Engineering Materials via Medical and Industrial X-Ray	252
Computed Tomography J. M. Wells, JMW Associates, Mashpee, Massachusetts	253
Three-Dimensional Atomic Structure and Compostitional Analysis of Medical Devices with the Local Electrode Atom Probe	259
S.L. Goodman, T. J. Mengelt, M. Ali, S.L.P. Kostrna, R.M. Ulfig, T.F. Kelly, Imago Scientific Instruments Corporation, Madison, Wisconsin	209
A Femoral Canal Sizing Device for Hip Implants	263
T. Norman, R. Chasnov, A. Gianettino, A. Julian, M. Michonski, J. Proctor, T. Thompson,S. San Gregory, Cedarville University, Cedarville, OhioJ. D. Blaha, University of Michigan, Ann Arbor, Michigan	
Managing Post Production Change	267
C. Roy, J. Fessler, S. Medhekar, Exponent, Inc., Irvine, California	20 /
Cardiovascular Device Applications	
Comparing and Optimizing Co-Cr Tubing Properties for Stent Applications	274
Corrosion of the Nitinol Wire of Endovascular Prostheses: Does Nickel Ion Release Impair the Devices Performance?	
R. Guidoin, Y. Douville, G. Dionne, Laval University, Quebec City, Quebec, Canada M. King, North Carolina State University, Raleigh, North Carolina A. P. Legrand, ESPCI, Paris, France	
P. Doppelt, CECM-CNRS, Vitry sur Seine, France	
Analysis of Nitinol Stents after Long Term in-Vivo Exposure	285
S. Walak, Boston Scientific Corporation, Watertown, Massachusetts	
A Biomimetic Stent Coating to Reduce Thrombosis and Inflammation	290
Development of Iridium Oxide as a Cardiovascular Stent Coating B. O'Brien, Boston Scientific Corporation, Galway, Ireland C. Chandrasekaran, Boston Scientific Corporation, Redmond, Washington	296
Determination of Constricting Forces Required for an Adjustable Systemic to Pulmonary	
Artery Shunt	302

Regulatory and Biocompatibility Issues for Medical Device Manufacturers
U.S. FDA Perspective on the Regulations of Cyanoacrylate Polymer Tissue Adhesives in Clincal Applications
G. J. Mattamal, U. S. Food and Drug Administration, Rockville, Maryland
Advanced Manufacturing Technologies
Processing of Biocompatible Materials via Metal and Ceramic Injection Molding
Advanced Electrochemical Finishing Techniques for Medical Device Applications
CAD-CAM-Technology for Medical Components
Non-Metallic Biomaterials
Mechanical Characterization of a Novel Biodegradable Composite for Use in Osteosynthesis Applications
Advances in Surgical Instrument Technologies
Techniques for Investigation of Surgical Cutting Instruments
A Durable and Lubricious Polymer Composite Coating for Medical Devices
A Model of the Failure Process of Skin During Cutting
Corrosion
Interpretation of Corrosion Test Results and Prediction of Clinical Performance of Medical Devices
Passivation Stability of Titanium
Effect of Grain Size on the Electrochemical Froperities of Oxide Films on Fitamium and

its Alloys For Orthopedic and Spinal Applications	
Effect of Radical Transfer Reaction by Free Oxygen on the Corrosion of Ti-Nb Implant Alloys)
D. Zander, B. Heisterkamp, University of Dortmund, Dortmund, Germany	
Effect of Temperature and pH on Corrosion Resistance of Nitinol	;
Galvanic Corrosion of Cobalt-Base and Titanium-Base Implant Material Couples	
Acidic Fretting Tests of Oxidized Zr-2.5Nb, CoCr and SS Femoral Heads	
Electrolytic HA/ZrO ₂ Double Layers Coating on Co-Cr-Mo Alloy for Orthopaedic Applications	,

Preface

This publication, *Materials and Processes for Medical Devices (MPMD)*, contains papers presented at a conference sponsored by ASM International on August 25–27, 2004 in Saint Paul, Minnesota.

In 2002 ASM International organized a Materials for Medical Devices (MMD) Task Force that evaluated the need and feasibility of sponsoring a conference on the topic area of biomaterials. After a year of analysis, organizing, and numerous teleconferences, the first *Materials and Processes for Medical Devices Conference* was held in Anaheim, California, on September 8–10, 2003. The number of technical presentations, exhibitors, and attendees at this conference exceeded the initial estimates and this gave the MMD Task Force an indication of the high level of interest in this technical subject matter. The MPMD Organizing Committee quickly responded by organizing a second conference described in these proceedings. Once again, the number of exhibitors and attendees exceeded the expectations, indicating the intense interest of this topic.

The overwhelming success of these two MPMD conferences is attributed to the organizing committee's balance of medical device technology, new materials, new processes, testing issues, regulatory issues, and specific device application concerns. These topical areas are likely to be of interest to material scientists, metallurgical engineers, medical device design engineers, regulatory professionals, government agencies, and medical practitioners involved with the vascular, dental, and orthopedic business segments. By bringing professionals from these diverse backgrounds together in a common forum, the opportunity to transfer new material and process technologies is one of the beneficial outcomes of this conference.

Many volunteers from the medical devices industry, suppliers, regulatory agencies, and academia participated by organizing and contributing to the development of this outstanding program. We sincerely thank them for their dedication and commitment. We also thank the staff of ASM International for their assistance in executing the vision and plan of the 2004 MPMD Organizing Committee, as well as the co-sponsors of this event: ASTM F04 Committee, Society for Biomaterials, AAOS, SMST, CRS, and Biomat.net.

Mike Helmus Co-Chair, MPMD Organizing Committee Committee Boston Scientific Corporation Natick, MA Dana Medlin Co-Chair, MPMD Organizing Zimmer, Inc.

Warsaw, IN



ASM International is the society for materials engineers and scientists, a worldwide network dedicated to advancing industry, technology, and applications of metals and materials.

ASM International, Materials Park, Ohio, USA www.asminternational.org

This publication is copyright © ASM International®. All rights reserved.

Publication title	Product code
Medical Device Materials II	05107G

To order products from ASM International:

Online Visit www.asminternational.org/bookstore

Telephone 1-800-336-5152 (US) or 1-440-338-5151 (Outside US)

Fax 1-440-338-4634

Mail Customer Service, ASM International

9639 Kinsman Rd, Materials Park, Ohio 44073, USA

Email CustomerService@asminternational.org

American Technical Publishers Ltd.

27-29 Knowl Piece, Wilbury Way, Hitchin Hertfordshire SG4 0SX, United

In Europe Kingdom

Telephone: 01462 437933 (account holders), 01462 431525 (credit card)

www.ameritech.co.uk

Neutrino Inc.

In Japan Takahashi Bldg., 44-3 Fuda 1-chome, Chofu-Shi, Tokyo 182 Japan

Telephone: 81 (0) 424 84 5550

Terms of Use. This publication is being made available in PDF format as a benefit to members and customers of ASM International. You may download and print a copy of this publication for your personal use only. Other use and distribution is prohibited without the express written permission of ASM International.

No warranties, express or implied, including, without limitation, warranties of merchantability or fitness for a particular purpose, are given in connection with this publication. Although this information is believed to be accurate by ASM, ASM cannot guarantee that favorable results will be obtained from the use of this publication alone. This publication is intended for use by persons having technical skill, at their sole discretion and risk. Since the conditions of product or material use are outside of ASM's control, ASM assumes no liability or obligation in connection with any use of this information. As with any material, evaluation of the material under end-use conditions prior to specification is essential. Therefore, specific testing under actual conditions is recommended.

Nothing contained in this publication shall be construed as a grant of any right of manufacture, sale, use, or reproduction, in connection with any method, process, apparatus, product, composition, or system, whether or not covered by letters patent, copyright, or trademark, and nothing contained in this publication shall be construed as a defense against any alleged infringement of letters patent, copyright, or trademark, or as a defense against liability for such infringement.